

FP7 Support Action - European Exascale Software Initiative

DG Information Society and the unit e-Infrastructures



European Exascale Software Initiative EESI2

Towards exascale roadmap implementation

WP3.1 - Industrial & Engineering Applications

Philippe Ricoux on behalf of Stephane Requena, Norbert Kroll, Ange Caruso



BDEC3-Barcelona-EESI-Indus-Engi-PhR

Key Objectives

- Investigate on key application breakthroughs and quantify their societal, environmental and economical impacts
- Perform a gap analysis between current situation and Exascale targets
- Evaluate the R&D activity performed by scientific and industrial communities, especially in applications redesign and development of multiscale/multiphysics frameworks;
- Foster the structuration of scientific communities at the European level and assess the rise of Co Design Centers



lev





new



General outcome of I&E Applications




- ONLY Few heros apps scalable to Exascale so need :
 - support both Capability and Capacity simulations
 - rethink/rewrite applications and incorporate legacy apps
- Multi disciplinary optimization (UQ, ...) using farming mode
- Multi-scale / Multi-Physics simulations
 - Coupling tools for multi-physics and multi-components simulations on HPC systems: Proposal from CERFACS strongly supported by Safran, Onera, TOTAL,Inria, Eu DEEP Project, ENES, …
 - Code coupling and automatic/adaptive mesh generation tools as mandatory R&D actions to be incorporated into future H2020 WP
- Data Management and BigData
 - simplify the end-to-end science workflows, improve massive data management, bridge together data and compute specialists
 - New skills in both extreme-scale and data-intensive computing
- Train and retain skills



WG3.1- Industrial applications

- 10 experts with representatives from 5 companies & ISV
- EESI applications roadmaps
 - In oil & gas, energy, aeronautics, automotive, ...
 - Revisited but still valid with a one year delay
- Deployment/use of big HPC facilities by industry
 - Internally : TOTAL, BP, ENI, EDF, Airbus, ...
 - Remotely: using large-scale research infrastructures like PRACE and Incite
 - →Strong R&D needs on meshers, solvers, resilience, reproducibility, comm avoiding, …
- Some new breakthroughs reported
 - Scalability ALYA to up to 100 000 cores of BlueWaters (NCSA)
 - Scalability proven on Cray system using test case from incompressible flow in human respiratory system, low mach combustion in kiln furnance and coupled electro-mechanical problem in a heart.








WG3.1- Industrial applications





5

Numerical Simulation & HPC for Safety

Explosions



Understanding for safety


Integration in "on using" codes of danger studies (large economical issue)


Ref: Large Eddy Simulation of Vented Deflagration Quillatre P; Vermorel O; Poinsot T; Ricoux Ph Industrial & Engineering Chemistry Research , Feb.2013 Pierre Quillatre, PhD Thesis, May 2014


CERFACS and TOTAL using INCITE calls

LES simulations for studying accidental gas explosions in buildings

Comparaions with experimental databases and real testings DNS 86 millions core hours on Mira (Argone Labs) using AVBP scalable up to 150000 cores.








LES validated by DNS and Exper.

What about simulations for industrial applications?






Industrial Numerical Simulations: Aeronautics




PRACE

TOTAL








DEPTH IMAGING: 3 Fundamental Steps





HPC Opportunities in TOTAL: Next steps in Depth Imaging

Combinaison of Physics, Numerics, Uncertainties (UQ)

- Involving maths modling for a more accurate approximation of the physics of propagation:
 - More realistic: elastic, visco-elastic, poro-visco elastic
 - Hybrid representations of waves equation
 - Others physics: EM, micro gravimetric, ...
- More and more adapted numerics:
 - Sub domains, automatic mesh generation
 - Finite Elements, ... explicit or implicit ... Massively parallel solvers, embedded solvers, .
 - Performing approximations
- Uncertainties, Optimization
 - Stochastic Methods thank to HPC.
 - Robust optimization basis of inverse problem
- Computer Science
 - Load Balancing
 - Programming,
 - Resilience, ...

Integrated Approach of Oil System :

interaction geology – geophysic :

foot hills, non conventional reservoirs, ...


Seismic depth imaging methods evolution and HPC 1 EF-Full WE Approximation APC Evolution 9.5 PF RTM: 100 PF-TTI, high resolution Elastic... Foot hills. Gradient methods ased 3-35 Hz 10 PF-**High Complexity** High resolution 1 PF 3D full elastic mo 1 PF Paraxial WE 56 TF approximation 100 TF-Kirchhoff beam RTM Medium 10 TF Complexity High resolution and HPC 1 TF (digation) = 10° operations Low F (terafiop) = 10[#] operations/ 100 GF-Post SDM, PreSTM PF (petaflop) = 10[#] operations/s Complexity EF (exaflop) = 10^a operations/ 2010 2012 2015 2020 1990 1995 2000 2005 Same Roadmap in BP, Chevron

Absolute Need of multi skills



Industries in Top500: Insight into HPC Performance






12

HPC for Industrial Engineering Multi Scale Problems



TOTA




Automotive

- Crash Test
 - 100 parameters on optimal numerical "experimental" de
 - 2 Mhcores on HPC simulations and UQ (Uncertainties)
 - 2 years of experimental crash tests saving
 - Safety / Competitiveness

Engine combustion, Turbulent Combustion

- Aerospace, Gas Turbine, Helicopter, Oil equipement
 - Efficiency / Safety / Competitiveness
- Automotive





Courtesy of Renault



Validation by experiments thanks to High Speed Imaging, Particle Image Velocimetry (HS PIV)



Feedback on PRACE PROJECT / FMOC

PRACE Project : FMOC awarded by 42M core hours on CURIE@GENCI

- World premiere for the size / number of core for a PAM CRASH model :
 - this kind of model is usable on HPC ?
 - lower scattering of the result ?
- Optimization study with a very big model :
 - More than 200 different parameters on 20M+ elements meshes on 2048 cores (size of an element = 5mm)
 - it's work : HPC allows to reduce duration of this phase.
 - Ratio between accuracy of 1 run and number of run available id better with big model
- Industrial impact for Renault :
 - To assess new large scale optimisation methodologies
 - To anticipate future EuroNCAP 6 safety regulations
 - To reduce CO₂ emissions by introducing new materials into a design process










- Crash simulations are more and more costly
 - Model size rise quicker than HPC
 - Near-interactive crash simulation is just a dream
 - ➔ elapsed time do not decrease
- Future multi physics optimization studies will be bigger and combinatorial ones, complexity increase quicker than HPC
- Crash simulation needs commercial software
 - → license price can be a barrier to the use of optimization
- Model reduction and HPC are not competing but complementary
- Model reduction combined with HPC will allow to exploit new immersive 3D visualization tools for interactive calculations and optimization
- Example : 20 hours elapsed time reduced to few seconds with 10% loss on accuracy (enough to optimize).





TOTAL Formulas(Lubricants, adhesives, Recovery...), Materials, Catalyst,

Molecular Simulation is now a key technology












Adhesion



Heterogeneous catalysts (4 nm Cube)

Polymer solubility

KMC simulations for flat copper surface



EESI2 recommandation on UUVQ



Multiscale/multiphysics + big data UUVQ

- Multiple sources of uncertainties due to
 - lack of knowledge on a physical parameter (epistemic uncertainty)
 - parameter with a random nature (aleatory uncertainty)
 - uncertainty related to the model (model error, too simplified model)
 - uncertainty related to the numerical errors (numerical errors of the model, to the input and output data, ...).
- Understanding uncertainties essential for acceptance of numerical simulation for decision making
 - Strong impact in industry (automotive, oil & gas, aeronautics, nuclear,...) and academia (climate)
 - EU well positionned in UUVQ : Uranie and OpenTurns
- →Toward an unified UUVQ env. for Exascale

18

Dev of ultrascalable UUVQ tools (scheduling, optimisation, ...)

 Embeeding UQ loops at the lowest levels of the simulation code ^{BDEC3-Barcelona-EESI-Indus-Engi-PhR}
 Use of surrogate models and reduced basis models

EESI2 recommandation on couplers



Coupler : a major software component

- Multiphysics simulations / legacy and new codes
- Crucial for industry (aeronautics, automotive, ...) and academia (climate, astrophysics, life sciences, ...)
- Coupling of 100k cores applications is a good driver for Exascale


Europe owns multiple coupler tools

OpenPALM, OASIS, MpCCI, ...

2 approaches

19

- Direct coupling (multiple binaries) vs coupling via top-level interfaces (one unified binary)
- But strong challenges to face for Exascale
 - Standard coupling API
 - memory footprint, use of asynchronous (reduced) communications....
 BDEC3-Barcelona-EESI-Indus-Engi-PhR
 - Interpolation methods, smart search algorithms,




EESI2 recommandation on Mesh

Mesh Generation

- Automatic, Adaptive, Intelligent
- From billions « regular »meshs … to millions !

With numerical methods for solving differential equations such as Disontinuous Galerkin: combining features of the finite element and the finite volume framework


DG methods have a huge interest for electrodynamics, fluid mechanics and plasma physics equations.







In Situ Extreme Data Processing in massively parallel numerical simulations: A necessary approach for Exascale (Cf Paper from EESI)



Conclusions



- IDC 2014 Study for EESI: HPC must produce ROI
- There is the only way for Exascale!
- Industrial applications are the key factors of potential Exascale viability
 - -> Exascale applications must be efficient for ROI ! largely than they are today!
- So, need of R&D programs, need of innovation, disruptive methods on all scientific domains ...

Please Submit EU Calls on concrete R&D for Exascale

Thank you for your attention and ... your future active contribution



WG3.1- Industrial applications (2/5) Some new breakthroughs reported (cont.)



CERFACS and TOTAL using INCITE calls

- LES simulations for studying accidental gas explosions in buildings
- Comparaions with experimental databases and real testings
- 86 millions core hours on Mira (Argone Labs) using AVBP

Large scale Seismic risk managment


- Politecnico di Milano and MunichRe on PRACE systems
- Based on improvement of DGSE (Discontinuous Galerkin Spectral Element)
- Multi-scale seismic wave propagation analyses using open-source spectral element computer code (SPEED), 40 M hours on Fermi (CINECA)

QUAntum SImulation of ultimate NanO-devices


- STMicroelectronics and CEA with 6.5 Mh on PRACE (CURIE)
- Studying scattering of electrons by impurities, lattice vibrations, etc into next gen transistors of 16 ηm

Influence of injector geometry in the primary atomisation process

- Improve the combustion by optimising spray models using the CIAO code (Nav. Stockes second order, semi-implicit finite difference code)
- RWTH Aachen University with 30Mh on PRACE (Marenostrum)







WG3.1- Industrial applications (3/5) Some new initiatives reported



Success of PRACE Open R&D access to industry

- Close to 25 companies supported in less than 2 years
- More than 300 millions core hours allocated to large companies and **SMEs**
- Development of the PRACE' SHAPE initiative towards HPC enabling of SMEs



- Launch of the VERIFI program @ ArgonneLabs (US) (Working with industry for addressing combustion challenges)
 - Virtual Engine Research Institute and Fuels Initiative
 - Experimental facilities + access to Mira (10 PF BG/Q) HPC and combustion experts
 - First scale out of CONVERGE CFD to >2000 cores
 - **Cooperative Research and Development Agreement** BDESTAYEERI- Arganneriand interested companies





WG3.1 plans for EESI second year activity (1/2)



- Launch a survey among ISV (and beyond) using the NAFEMS network (International Association of the Engineering Modelling. Analysis and Simulation Community)
 - Will provide alternative view of needs and challenges from the commercial software side
 - →launched in June, results compiled in EESI2 2nd report

Provide feedback on disruptive apps to WGx.5

 Topic of the day : already some discussed ideas around meshless methods, rise of composite materials into automotive and aerospace (will change everything in crash modeling with multi-scale/physics simulations and big data)

Enlarge apps assessment with Insurance/Finance ?

- Assess and support rise of industrial CoE
 - Call EINFRA-5-2015 Centres of Excellence for computing applications - open until 14/01/2015 → 8 to 10 CoEs supported

BDECOBREADING LISTER IN THE PROPERTY AND A POTENTIAL COE?



WG3.1 - Industrial applications (5/5) WG3.1 plans for EESI second year activity (2/2)



Refine 1st EESI2 recommendations especially in

- Assessment and proposal of mini applications
 Work done on oil & gas (RTM) and combustion (YALES2)
 Need to be improved with new mini apps this year
- R&D on Big Data : smart data extraction / viz of pertinent structures on massive datasets from turbulent simulations
 Large scale features extraction using selective high-order filters
 Multi grid techniques for data visualization and processing
 Interactive run time capabilities and on-the-fly visualization
 Could fit to any turbulent problems : combustion, climate, cosmology, ...
- Make new recommendations

26

 R&D on automatic mesh generation/adaptation on billions of cells meshes and parallel load balancing
 DEC3-Barcelona-EESI-Indus-Engi-PhR